



# Geschweißte Edelstahlrohre

Toleranzen: *EN ISO 1127 D3/T3*  
Werksabnahmezeugnis: *EN 10204/3.1*

● Lager

Geschweißte Edelstahlrohre  
Kalibriert, blankgeglüht oder  
geglüht und gebeizt

Toleranzen: EN/ISO 1127 D3/T3 oder D2/T3  
Länge: ca. 6.000 mm  
Werksabnahmezeugnis: EN 10204/3.1

Abmessung mm	Kg/m	EN 1.4301	1.4541	1.4571
6,00 x 1,00	0,125	●		●
8,00 x 1,00	0,175	●		●
10,00 x 1,00	0,225	●		●
x 1,50	0,319	●		●
12,00 x 1,00	0,275	●		●
x 1,50	0,394	●		●
14,00 x 1,00	0,326	●		●
x 1,50	0,470	●		●
15,00 x 1,00	0,351	●		●
x 1,50	0,507	●		●
x 2,00	0,650	●		●
16,00 x 1,00	0,376	●		●
x 1,50	0,545	●		●
x 2,00	0,701	●		●
17,20 x 2,00	0,761	●		●
x 2,30	0,858	●		●
18,00 x 1,00	0,426	●		●
x 1,50	0,620	●		●
x 2,00	0,800	●		●
20,00 x 1,00	0,476	●		●
x 1,50	0,695	●		●
x 2,00	0,901	●		●
21,30 x 2,00	0,976	●	●	●
x 2,60	1,217	●	●	●
26,90 x 2,00	1,247	●	●	●
x 2,60	1,582	●	●	●
33,70 x 2,00	1,558	●	●	●
x 2,60	2,030	●	●	●
42,40 x 2,00	2,023	●	●	●
x 2,60	2,951	●	●	●
48,30 x 2,00	2,319	●	●	●
x 2,60	2,975	●	●	●
x 3,20	3,614	●	●	●
60,30 x 2,00	2,920	●	●	●
x 2,60	3,757	●	●	●
x 3,20	4,304	●	●	●

Geschweißte Edelstahlrohre  
 Ungeglüht, gebürstet oder gebeizt

Toleranzen: EN/ISO 1127 D2/T3 EN 10217-7  
 Länge: ca. 6.000 mm  
 Werksabnahmezeugnis: EN 10204/3.1

Abmessung mm	Kg/m	EN 1.4301	1.4404	1.4541	1.4571
8,00 x 1,00	0,175	●			●
10,00 x 1,00	0,225	●			●
12,00 x 1,00	0,275	●			●
15,00 x 1,50	0,507				●
17,20 x 2,30	0,870	●			
18,00 x 1,00	0,426				●
20,00 x 2,00	0,901				●
21,30 x 1,60	0,789	●			●
x 2,00	0,967	●	●	●	●
x 2,60	1,217	●		●	●
22,00 x 1,50	0,770	●			
x 2,00	1,002	●			
23,00 x 1,50	0,808				●
25,00 x 1,00	0,601	●			
x 1,50	0,883	●			
x 2,00	1,152	●			●
26,90 x 1,60	1,014	●			●
x 2,00	1,247	●	●	●	●
x 2,60	1,582	●		●	●
28,00 x 1,50	0,995	●			●
x 2,00	1,302	●			
30,00 x 1,50	1,070	●			
x 2,00	1,402	●			
x 2,50	1,722	●			
33,00 x 2,00	1,502	●			
33,70 x 1,60	1,286	●		●	
x 2,00	1,558	●	●	●	●
x 2,60	2,025	●		●	●
x 3,20	2,444	●		●	●
38,00 x 1,50	1,371	●			
x 2,00	1,803	●			●
40,00 x 2,00	1,903	●			●
42,40 x 1,60	1,635	●			
x 2,00	2,023	●	●	●	●
x 2,60	2,591	●		●	●
x 3,20	3,141	●		●	●
44,50 x 1,50	1,615	●			
x 2,00	2,128	●			
48,30 x 1,60	1,871	●			
x 2,00	2,319	●	●	●	●
x 2,60	2,975	●		●	●
x 3,20	3,614	●			●
50,00 x 1,00	1,227	●			

Geschweißte Edelstahlrohre  
Ungeglüht, gebürstet oder gebeizt

Toleranzen: EN/ISO 1127 D2/T3 EN 10217-7  
Länge: ca. 6.000 mm  
Werksabnahmezeugnis: EN 10204/3.1

Abmessung mm	Kg/m	EN 1.4301	1.4404	1.4541	1.4571
50,00 x 1,50	1,822	●			
x 2,00	2,404	●			
52,00 x 2,00	2,504	●			
54,00 x 2,00	2,604	●			●
60,30 x 1,60	2,352	●			
x 2,00	3,920	●	●	●	●
x 2,60	3,757	●		●	●
x 3,00	4,304	●		●	●
x 3,20	4,575	●			
x 3,60	5,111	●		●	●
63,50 x 2,00	3,080	●			
x 2,60	3,965	●			
69,00 x 2,00	3,355				●
70,00 x 2,00	3,405	●		●	●
73,00 x 1,50	2,686	●			
76,10 x 1,60	2,985	●			
x 2,00	3,711	●	●	●	●
x 2,60	4,785	●		●	●
x 3,00	5,491	●		●	●
x 3,20	5,841	●			
x 3,60	6,535	●			
80,00 x 2,00	3,906	●			
84,00 x 2,00	4,107	●			●
88,90 x 1,60	3,498	●			
x 2,00	4,352	●	●	●	●
x 2,30	4,987				●
x 2,60	5,618	●		●	●
x 3,00	6,453	●		●	●
x 3,20	6,867	●			●
101,60 x 2,00	4,988	●			
x 3,00	7,407	●			
104,00 x 2,00	5,108	●			●
108,00 x 2,00	5,308	●			
x 3,00	7,888	●			
x 4,00	10,417				●
114,30 x 2,00	5,624	●	●	●	●
x 2,60	7,272	●		●	●
x 3,00	8,361	●		●	●
x 3,60	9,979			●	●
129,00 x 2,00	6,360	●			●
133,00 x 4,00	12,921			●	
139,70 x 2,00	6,896	●	●	●	●
x 2,60	8,926			●	●

Geschweißte Edelstahlrohre  
 Ungeglüht, gebürstet oder gebeizt

Toleranzen: EN/ISO 1127 D2/T3 EN 10217-7  
 Länge: ca. 6.000 mm  
 Werksabnahmezeugnis: EN 10204/3.1

Abmessung mm	Kg/m	EN 1.4301	1.4404	1.4541	1.4571
139,70 x 3,00	10,269	●		●	●
x 4,00	13,592			●	●
154,00 x 2,00	7,612	●		●	●
159,00 x 2,00	7,863			●	●
x 2,50	9,797			●	
168,30 x 2,00	8,328	●	●	●	●
x 2,60	10,788	●		●	●
x 3,00	12,417	●		●	●
x 4,00	16,456			●	●
204,00 x 2,00	10,116	●			●
206,00 x 3,00	15,249				●
219,10 x 2,00	10,872	●		●	●
x 2,60	14,095			●	●
x 3,00	16,233	●	●	●	●
x 4,00	21,544			●	●
254,00 x 2,00	12,620	●		●	●
273,00 x 2,60	17,604			●	
x 3,00	20,282	●		●	●
x 4,00	26,943				●
306,00 x 3,00	27,761				●
323,90 x 3,00	24,106	●		●	●
x 4,00	32,041			●	●
355,60 x 3,00	26,487	●			●
406,40 x 3,00	30,303	●			●
x 4,00	40,304				●
506,00 x 3,00	37,800	●			
508,00 x 4,00	50,481				●
609,60 x 4,00	60,657				●

Geschweißte Dekorationsrohre  
Kalibriert, ungeglüht, gebürstet  
oder geschliffen

Länge: ca. 6.000 mm

Abmessung mm	Kg/m	EN 1.4301 gebürstet	1.4301 hochglanz-poliert	1.4301 K240	1.4301 geglüht, geschliffen
12,00 x 1,50	0,394	●		●	
15,00 x 1,50	0,507	●			
16,00 x 1,00	0,376	●			
x 1,50	0,545	●		●	
20,00 x 1,00	0,476	●			
x 1,50	0,695	●		●	
x 2,00	0,901	●		●	
21,30 x 2,00	0,967	●		●	
2,50	1,177	●			
22,00 x 1,50	0,770	●			
x 2,00	1,002	●			
25,00 x 1,50	0,883	●		●	
x 2,00	1,152	●		●	
26,90 x 2,00	1,247	●		●	
x 2,50	1,527	●			
28,00 x 1,50	0,995	●			
x 2,00	1,302	●			
30,00 x 1,50	1,070	●			
x 2,00	1,402	●		●	
33,70 x 2,00	1,588	●	●	●	●
x 2,50	1,953	●		●	●
x 3,00	2,306	●			
35,00 x 1,50	1,258	●			
x 2,00	1,653	●			
38,00 x 1,50	1,371	●			
x 2,00	1,803			●	
40,00 x 2,00	1,903	●		●	
42,40 x 2,00	2,023	●	●	●	●
x 2,50	2,498	●		●	●
x 3,00	2,960	●			
48,30 x 2,00	2,319	●	●	●	
x 2,50	2,867	●		●	
x 3,00	3,403	●			
50,00 x 1,50	1,822	●			
x 2,00	2,404	●		●	
51,00 x 1,50	1,859	●			
60,30 x 2,00	2,920	●		●	
x 2,50	3,618	●			
76,10 x 2,00	3,711	●		●	
88,90 x 2,00	4,352	●		●	
101,60 x 2,00	4,988	●		●	

Geschweißte Profilrohre  
Gebürstet/geschliffen

Länge: ca. 6.000 mm

Abmessung mm	Kg/m	EN 1.4301 gebürstet	1.4301 geschliffen KORN 240	1.4571 gebürstet
<b>Quadratrohre</b>				
10 x 10 x 1,00	0,300	●		
15 x 15 x 1,00	0,450	●		
x 1,25	0,540		●	
x 1,50	0,660	●		
20 x 20 x 1,00	0,610	●		
x 1,25	0,730	●		
x 1,50	0,900	●	●	
x 2,00	1,180	●	●	●
25 x 25 x 1,25	0,920	●	●	
x 1,50	1,140	●	●	
x 2,00	1,490	●	●	●
30 x 30 x 1,25	1,110	●	●	
x 1,50	1,380	●	●	
x 2,00	1,810	●	●	●
x 3,00	2,650	●		●
35 x 35 x 1,50	1,620	●		
x 2,00	2,130	●	●	
40 x 40 x 1,25	1,500	●	●	
x 1,50	1,860	●	●	
x 2,00	2,450	●	●	●
x 2,50	3,030	●		
x 3,00	3,600	●		●
x 4,00	4,700	●		
50 x 50 x 1,50	2,340	●		
x 2,00	3,090	●	●	●
x 2,50	3,830	●		
x 3,00	4,560	●		●
x 4,00	5,980	●		
60 x 60 x 2,00	3,730	●	●	●
x 3,00	5,520	●	●	●
x 4,00	7,250	●		
80 x 80 x 2,00	5,000	●	●	●
x 3,00	7,430	●	●	●
x 4,00	9,810	●		●
x 5,00	12,130	●		
100 x 100 x 2,00	6,280	●		●
x 3,00	9,340	●	●	●
x 4,00	12,360	●		●
x 5,00	15,320	●		
120 x 120 x 4,00	15,030	●		●

Geschweißte Profilrohre  
Gebürstet/geschliffen

Länge: ca. 6.000 mm

Abmessung mm	Kg/m	EN 1.4301 gebürstet	1.4301 geschliffen KORN 240	1.4571 gebürstet
<b>Rechteckrohre</b>				
20 x 10 x 1,25	0,540	●		
25 x 15 x 1,50	0,900	●		
30 x 10 x 1,50	0,880	●		
30 x 15 x 1,50	1,000	●	●	
30 x 20 x 1,50	1,140	●	●	
x 2,00	1,490	●	●	
40 x 20 x 1,25	1,110	●	●	
x 1,50	1,380	●	●	
x 2,00	1,810	●	●	●
40 x 30 x 1,50	1,620	●		
x 2,00	2,130	●		
50 x 20 x 2,00	2,150	●		
50 x 25 x 2,00	2,320	●		
50 x 30 x 1,50	1,860	●		
x 1,50	1,860	●		
x 2,00	2,450	●	●	●
60 x 30 x 2,00	2,770	●		
60 x 40 x 2,00	3,090	●	●	
x 3,00	4,560	●		
80 x 40 x 2,00	3,730	●	●	●
x 3,00	5,520	●		●
80 x 60 x 3,00	6,470	●		
x 4,00	8,530	●		
100 x 20 x 2,00	3,711	●		
100 x 40 x 2,00	4,370	●		
x 3,00	6,470	●		
100 x 50 x 2,00	4,680	●		
x 3,00	6,950	●	●	●
x 4,00	9,170	●		●
100 x 60 x 3,00	7,430	●		

